

EXTENDED BATTERY MODULE TO PROLONG RUNTIME

The battery module ensures extended system runtime during power outages



Designed for data center and critical applications, the Extended Battery Module (EBM) Series can be used in conjunction with compatible UPS systems to provide prolonged system runtime during power interruption. The battery modules come with DC plug-and-play power connectors to allow for adding multiple EBMs. The sealed lead-acid batteries used within the EBMs are stable and safe, which ensure the power system's reliable performance.

SERIES FEATURES


- Sealed Lead-acid Batteries
- EBM Expansion Capability
- Metal Housing

PRODUCT CALLOUTS


1. Input Connector
2. Battery Output Connector
3. On-board Replaceable Fuse Cover



BPSE24V40A



BPSE48V40A



BPSE72V40A



TECHNICAL SPECIFICATIONS

Model Name	BPSE24V40A	BPSE48V40A	BPSE72V40A
General			
Nominal Output Voltage (Vdc)	24	48	72
Rated Output Current (A)		40	
Battery			
Battery Type		Sealed Lead-acid	
Built-in Charger		No	
Typical Recharge Time (Hours)		2 (Depends on Connected UPS)	
User-replaceable		No	
Expansion Ready		Yes	
Replacement Battery Pack Quantity (pcs)		2	
Compatible UPS Models	OLS1000EA	OLS2000EA	OLS3000EA
Physical			
Form Factor		Tower	
Physical Size			
Dimensions (WxHxD) (mm.)	140 x 191 x 327	151 x 225 x 394	196 x 337 x 416
Weight (kg.)	13	24.5	38
Environmental			
Operating Temperature (°C)		0 - 40	
Operating Relative Humidity (Non-condensing) (%)		0 - 90	
Certifications			
Certifications*		CE	
RoHS		Yes	

*Certifications may vary according to different regions. Visit www.cyberpower.com for more information.

#All specifications are subject to change without notice.

