

Hardware	
host connector	HDMI™ Male
infrared	N/A
led indicators	<p>HDMI™ Transmitter (TX):</p> <ul style="list-style-type: none"> -Solid White: Device is connected to the RX successfully and is able to be operated properly. -Blinking (Slow): The device is ready and trying to connect to RX as Receiver is being connected up. -Blinking (Fast): The device is processing to pair with RX. -Light off: The device has malfunctioned, OR no power input. <p>HDMI™ Receiver (RX):</p> <ul style="list-style-type: none"> -Solid White: The device is power on and operating properly.
ports	N/A
power source	USB-C® Female
warranty	1 Year Limited
Performance	
audio channel	2.1 via HDMI™
esd protection	N/A
hdcp compliance	

HDCP 1.4

hdmi compliance

HDMI™ v1.4

infrared return frequency

N/A

ovp protection

N/A

rf output power

N/A

security - encryption

WPA2

supported resolution - output

3840 x 2160 @ 30 Hz

1920 × 1080 @ 60 Hz

1280 × 720 @ 60 Hz

Physical Specifications

cable length

HDMI™ Transmitter (TX): 6 in. (152.3 mm)

HDMI™ Receiver (RX): 6 in. (152.3 mm)

color

White/ Grey

enclosure type

Plastic

operating humidity

< 85% non-condensing

operating temperature

+14 to +104°F (-10 to +40°C)

product depth

HDMI™ Transmitter (TX): 0.67 in. (17 mm)

HDMI™ Receiver (RX): 0.67 in. (17 mm)

product height

HDMI™ Transmitter (TX): 2.42 in. (61.47 mm)

HDMI™ Receiver (RX): 2.42 in. (61.47 mm)

product weight

HDMI™ Transmitter (TX): 2.22 oz (63g)

HDMI™ Receiver (RX): 2.22 oz (63g)

product width

HDMI™ Transmitter (TX): 2.6 in. (66 mm)

HDMI™ Receiver (RX): 2.6 in. (66 mm)

storage humidity

< 85% non-condensing

storage temperature

-4 to +122°F (-20 to +50°C)

Wireless Protocols

antenna type

Internal antenna

channel width

20 MHz, 40 MHz

frequency

2.4 GHz, 5 GHz

range

Up to 10 – 30 meters

*Transmission range up to 98 ft /30m, if signal crosses walls, signal distance might be shortened to 32 ft /10 m

standard

IEEE 802.11ac

Package Contents

- 1 – JVAW75 4K Wireless Display HDMI™ Extender (1 x Transmitter & 1 x Receiver)
- 2 – USB-C® to USB™ Type-A power cable (Cable Length: 100 cm, Color: White)
- 1 – HDMI™ extension cable (Cable Length: 60 cm, Color: White)
- 1 – Quick Installation Guide (QIG)

System Requirements

- Available HDMI™ output device